

	Type	Hits	Search Text	DBs
1	BRS	4995	362/84,85,457,458,551,555,105,106,155,156,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	835	362/84,85,457,458,551,555,105,106,155,156,800.ccls. and (Box or bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	546	362/84,85,457,458,551,555,105,106,155,156,800.ccls. and (Box or bag) and @ad < "20010701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	63	362/84,85,457,458,551,555,105,106,155,156,800.ccls. and (Box or bag) and @ad < "20010701" and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	483	(362/84,85,457,458,551,555,105,106,155,156,800.ccls. and (Box or bag) and @ad < "20010701") not (362/84,85,457,458,551,555,105,106,155,156,800.ccls. and (Box or bag) and @ad < "20010701" and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	IS&R	1	("5973607").PN.	USPAT; USOCR
7	IS&R	1	("5760690").PN.	USPAT; USOCR
8	BRS	12	("4117468"   "4284983"   "4494114"   "4686514"   "4908608"   "4985695"   "5317304"   "5406261"   "5481645"   "5515032"   "5574429"   "5578991").PN.	USPAT
9	BRS	21	"5760690".URPN.	USPAT
10	IS&R	0	("(laptoporportable)near4computernear4(housingorcas\$5)").PN.	USPAT; USOCR
11	BRS	3003	((lap near top) or portable) near4 computer near4 (housing or cas\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	110	((lap near top) or portable) near4 computer near4 (housing or cas\$5) with (illumin\$4 or light or (light near emit\$5 near diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	111	((lap near top) or portable) near4 computer near4 (housing or cas\$5) with (illumin\$7 or light or (light near emit\$5 near diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	"20020178305".URPN.	USPAT
15	BRS	16	("5105338"   "5160001"   "5214574"   "5217119"   "5494157"   "5524754"   "5607054"   "5647484"   "5678666"   "5682993"   "5725090"   "5762170"   "5826770"   "5835344"   "5909806"   "5971148").PN.	USPAT
16	BRS	9	"6109434".URPN.	USPAT

	Type	Hits	Search Text	DBs
17	BRS	3	((lap near top) or portable) near4 computer near4 (housing or cas\$5)) same (external with surface with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	((lap near top) or portable) near4 computer near4 (housing or cas\$5)) same (external with illuminat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	5	((lap near top) or portable) near4 computer near4 (housing or cas\$5)) same (external with light\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	10	((lap near top) or portable) near4 computer near4 (housing or cas\$5)) with (illumin\$7 or light or (light near emit\$5 near diod\$4)) same reflect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	12085	(external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	66258	computer near3 (housing or cas\$5 or bag or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	218	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and (computer near3 (housing or cas\$5 or bag or box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	127	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and (computer near3 (housing or cas\$5 or bag or box))) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	6	("Re33532"   "4680674"   "4749364"   "4823120"   "4926365"   "4980678").PN.	USPAT
26	BRS	17	"5193069".URPN.	USPAT
27	IS&R	10	((("6109434") or ("5760690") or ("5826770") or ("5971148") or ("6267485") or ("6499857") or ("6076937") or ("6494593") or ("6435690") or ("6193385")).PN.	USPAT; USOCR
28	BRS	8	("1977995"   "5268827"   "5444605"   "5567037"   "5690412"   "6106130"   "6132059"   "6158872").PN.	USPAT
29	BRS	1	"6499857".URPN.	USPAT
30	BRS	4	("4535392"   "5434759"   "5523927"   "6158872").PN.	USPAT
31	BRS	0	"6267485".URPN.	USPAT
32	BRS	0	"6267485".URPN.	USPAT

	Type	Hits	Search Text	DBs
33	BRS	2	("5815225"   "5918396").PN.	USPAT
34	BRS	1	"6494593".URPN.	USPAT
35	BRS	1	"6494593".URPN.	USPAT
36	BRS	4	("4953205"   "5087906"   "5237607"   "6030088").PN.	USPAT
37	BRS	2	"6435690".URPN.	USPAT
38	BRS	2	"6435690".URPN.	USPAT
39	BRS	5	("4924362"   "5128843"   "5651636"   "5879076"   "5934792").PN.	USPAT
40	BRS	3	"6193385".URPN.	USPAT
41	BRS	3	"6193385".URPN.	USPAT
42	BRS	16	("5105338"   "5160001"   "5214574"   "5217119"   "5494157"   "5524754"   "5607054"   "5647484"   "5678666"   "5682993"   "5725090"   "5762170"   "5826770"   "5835344"   "5909806"   "5971148").PN.	USPAT
43	BRS	9	"6109434".URPN.	USPAT
44	BRS	16	("3231730"   "4761720"   "4803604"   "5219446"   "5337225"   "5344339"   "5355289"   "5459648"   "5624029"   "5685421"   "5741061"   "5769533"   "5779350"   "5803586"   "5879071"   "5879072").PN.	USPAT
45	BRS	2	"6076937".URPN.	USPAT
46	BRS	12	("4117468"   "4284983"   "4494114"   "4686514"   "4908608"   "4985695"   "5317304"   "5406261"   "5481645"   "5515032"   "5574429"   "5578991").PN.	USPAT
47	IS&R	1	("5337225").PN.	USPAT; USOCR
48	IS&R	1	("4761720").PN.	USPAT; USOCR
49	BRS	3	"6435690"	USPAT
50	IS&R	1	("6435690").PN.	USPAT; USOCR
51	IS&R	1	("6076937").PN.	USPAT; USOCR
52	IS&R	1	("6499857").PN.	USPAT; USOCR
53	IS&R	1	("6267485").PN.	USPAT; USOCR
54	IS&R	1	("4254451").PN.	USPAT; USOCR
55	IS&R	1	("6193385").PN.	USPAT; USOCR
56	BRS	7535	((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and (housing or case\$5 or bag or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
57	BRS	1619	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1618	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	1118	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	208	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and flash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	31	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and flash\$5 and incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	177	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and flash\$5) not (((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and flash\$5 and incandescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	108	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	5	((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "206"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
65	BRS	46	((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	12	((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "361"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	162	((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "362"/\$.ccls.) or (((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "206"/\$.ccls.) or (((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "340"/\$.ccls.) or (((external with (illuminate\$7 or light or (light near emit\$5 near diode\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
68	BRS	121	(((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "362"/\$.ccls.) or (((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "206"/\$.ccls.) or (((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "340"/\$.ccls.) or (((external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) with reflect\$5) and ((carr\$6 or port\$6) near4 (housing or cas\$5 or bag or box)) and reflect\$4) and control and "361"/\$.ccls.)) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	IS&R	1	("6499857").PN.	USPAT; USOCR
70	IS&R	1	("4254451").PN.	USPAT; USOCR
71	BRS	122665	(motion near4 sensor) or (light near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	3541	(motion near4 sensor) and (light near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	377	((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	30	(((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and (computer near3 (housing or cas\$5 or bag or box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	242	(((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	20	(((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and @ad<"20010702" and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
77	BRS	0	((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and @ad<"20010702" and "361"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	((motion near4 sensor) and (light near4 sensor)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and @ad<"20010702" and "312"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	12	("D385677"   "4154393"   "4648012"   "4755915"   "4872095"   "5032957"   "5143285"   "5155470"   "5246285"   "5522540"   "5813749"   "5975713").PN.	USPAT
80	BRS	9	"6102548".URPN.	USPAT
81	IS&R	2	((("5760690") or ("6267485"))).PN.	USPAT; USOCR
82	BRS	12	("4117468"   "4284983"   "4494114"   "4686514"   "4908608"   "4985695"   "5317304"   "5406261"   "5481645"   "5515032"   "5574429"   "5578991").PN.	USPAT
83	BRS	3244	(motion near4 sensor near4 switch) or (light near4 sensor near4 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	98	(motion near4 sensor near4 switch) and (light near4 sensor near4 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	278	((motion near4 sensor near4 switch) or (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	17	((motion near4 sensor near4 switch) and (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	278	((motion near4 sensor near4 switch) or (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) or (((motion near4 sensor near4 switch) and (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
88	BRS	199	(((((motion near4 sensor near4 switch) or (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) or (((motion near4 sensor near4 switch) and (light near4 sensor near4 switch)) and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) )) and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	"19504096".URPN.	USPAT
90	BRS	2344	(light near4 sensor near4 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	1823	(( (light near4 sensor near4 switch)) and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	4	(( (light near4 sensor near4 switch)) and @ad<"20010702") and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4))) ) and (computer near3 (housing or cas\$5 or bag or box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	172	(( (light near4 sensor near4 switch)) and @ad<"20010702") and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	7	(( (light adj sensor adj switch)) and @ad<"20010702") and (external with (illumin\$7 or light or (light near emit\$5 near diod\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	96	(motion adj sensor adj switch) and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	15	("2880264"   "2916733"   "3491327"   "3739226"   "4343032"   "4714984"   "4915638"   "D314831"   "5218169"   "5264662"   "5465198"   "5495402"   "5533637"   "5964516"   "6031183").PN.	USPAT
98	BRS	1	"6457843".URPN.	USPAT
99	BRS	66	(( (light adj sensor adj switch)) and @ad<"20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1	(motion adj sensor adj switch) and (light adj sensor adj switch) and portable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	2	(motion adj sensor adj switch) and (light adj sensor adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	658	(motion adj sensor) and (light adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
103	BRS	166	(motion adj sensor) and (light adj sensor) and portable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	116	S11 and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	15	("1906568"   "2095928"   "3117302"   "4143368"   "4423472"   "4433362"   "4722030"   "4754255"   "4779168"   "4981363"   "5031082"   "5182541"   "5195813"   "5584560"   "5607217").PN.	USPAT
106	BRS	3	"6443604".URPN.	USPAT
107	BRS	104571	light near4 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	(light near4 sensor) and "5760690".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	IS&R	1	("5803574").PN.	USPAT; USOCR
110	BRS	9	("4290047"   "4787014"   "4814951"   "4949228"   "5278732"   "5333101"   "5418697"   "5475572"   "5477425").PN.	USPAT
111	BRS	10	"5803574".URPN.	USPAT
112	BRS	5293	362/84,85,457,458,551,555,105,106,155,156,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	1571	361/681.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	1449	312/223.2,223.3,223.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	8211	S112 or S113 or S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	5438	S115 and @ad < "20010701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	3046	S116 and (casing or housing or box or bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	2845437	(illumin\$4 or light or (light near emit\$5 near diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	2171	S117 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	4110004	computer (casing or housing or box or bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	779603	S120 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	5237828	(external or outside)(illumin\$4 or light or (light near emit\$5 near diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	140639	(external or outside) with (illumin\$4 or light or (light near emit\$5 near diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
124	BRS	56588	S120 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	35176	S124 and reflect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	32229	S124 and reflect\$5 and (carr\$7 or port\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	32229	S125 and reflect\$5 and (carr\$7 or port\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	27495	S127 and (switch or control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	14987	S127 and (switch or control\$5) and (motion sensor and light sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	162	S127 and (switch or control\$5) and (motion sensor and light sensor) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	162	S129 and (switch or control\$5) and (motion sensor and light sensor) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	100	S129 and (switch or control\$5) and (motion sensor and light sensor) and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	7098476	computer carr\$5 case	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	89057	S133 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	279	S134 and (switch or control\$5) and (motion sensor and light sensor) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
136	BRS	186	S135 not S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB